

ICE | SANDSTONE | GREYSTONE | CHARCOAL

	ICE SANDSTONE GREYSTONE	CHARCOAL	
PEDESTRIAN PAVERS			
Patio Pave 30 400x400x30mm	34	40	m2
Square Paver 400x400x40mm	37	--	m2
Luxe Paver 600x400x40mm	49	--	m2
POOL, WALL & STEP CAPPING			
270 Seamless Capping 270x400x30mm	27	33	Lm
270 4 Sided Seamless Capping 270x400x30mm	27	33	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
400 Seamless Capping 400x400x40mm	31	38	Lm
400 4 Sided Seamless Capping 400x400x40mm	31	38	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
270 Retro Bullnose 270x400x40mm	34	--	Lm
Corners to suit 270 Retro Bullnose 270x400x40mm	34	--	each
VEHICULAR TRAFFIC PAVERS			
Square Paver 400x400x60mm (sold per pallet of 11.65m2 only)	43	49	m2

ABROLHOS | METRO

PEDESTRIAN PAVERS			
Square 400x400x30mm		56	m2
Luxe 600x400x30mm		66	m2
Circle Steppers 600, 400 or 250 x40mm		55	each
POOL, WALL & STEP CAPPING			
270 Seamless Capping 270x400x30mm		47	Lm
270 4 Sided Seamless Capping 270x400x30mm		36	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
400 Seamless Capping 400x400x40mm		52	Lm
400 4 Sided Seamless Capping 400x400x40mm		40	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
VEHICULAR TRAFFIC PAVERS			
Square 400x400x60mm (sold per pallet of 11.65m2 only)		69	m2
Luxe 600x400x60mm (sold per pallet of 9.12m2 only)		82	m2
Rectangle 200x400x60mm		77	m2
Tactiles 400x400x60mm Off-form 2023 compliant design (Custom thickness possible)		75	m2
Multi Spec Tactiles 600x400x60mm Off-form 2023 compliant design (Custom thickness possible)		80	m2

OCEAN BLUESTONE

Paver 600x300x25mm	78	m2
Capping 600x300x25mm	41	Lm

DESIGNOPAVE - MONACO | SILVERTINO | BORDEAUX | SANTORINI | WHITE GRANITO | GREY GRANITO | BLACK GRANITO

Paver 600x300x20mm	65	m2
Capping 600x300x20mm	48	Lm

DESIGNOPAVE - JARRAHWASH | DRIFTWOOD

Planks 1200x200x20mm	73	m2
Capping 1200x200x20mm	53	Lm

BELLA TRAVERTINE - Special Spring Release - While Stocks Last

French Pattern Paver Sets x 30mm	84	m2
Capping 610x305x30mm	48	Lm

ROMA TRAVERTINE

French Pattern Paver Sets x 30mm	90	m2
Rectangle Paver 610x305x30mm	94	m2
Capping 610x305x30mm	45	Lm
Lip Capping 610x305x30mm	105	Lm

PRIMO TRAVERTINE

French Pattern Paver Sets x 30mm	96	m2
Rectangle Paver 610x305x30mm	99	m2
Capping 610x305x30mm	48	Lm

ATLANTIS TRAVERTINE - On Sale

French Pattern Paver Sets x 30mm	104	m2
Rectangle Paver 610x305x30mm	114	m2
Capping 610x305x30mm	58	Lm

ARCTIC MARBLE - On Sale

Rectangle Paver 610x305x30mm	92	m2
Capping 610x305x30mm	48	Lm

BLUESTONE STEPPER

Honed Irregular Shape Stepping Stone Approx. 500 - 700x30mm	69	each
---	----	------

HAWAIIAN SWIRL | EVEREST | WHITE QUARTZ | COPPER | DESERT

Face Panels	97	m2
Corner Pieces	16	each

OTHER ITEMS AND SERVICES

Paving Join Grout Powder 20kg bag sweep in and wet to set anti weed / ant deter gel	22	each
Pool Skimmer Lid Kit 305x305mm stainless base, lid, key and stone insert.	399	each
Stone Adhesive Tube 660ml stone to fibre glass, hardboard or stone surfaces	17	each
Adhesive Tube Gun canister style to dispense adhesive	17	each
Part Pallet Build for under half pallet orders strap, labour & bag cost	20	each
Metro/Outer Delivery to verge. Min Cost \$150/\$180. 3 Pallets \$180/\$225. 4 or more pallet loads.	45/60	each
Pallet Bond refund processed on return by client to Freo Stone with invoice #	40	each

All deliveries are to verge only and not beyond, to avoid property damage regardless of owners permission

*Sizes are approximate and no works should be started without your specific stone purchase in hand
Freo Stone products are sold to order with notice by full piece, set, carton, bag or box nearest to units required
SEALING Stones can be damaged by some sealers and the bulk of our range we do not recommend sealing at all
Please seek advice from our team or website to avoid damaging your stone by trusting generic labelling
Prices are ex Bibra Lake factory and outside Perth Metro Delivery may require extra packaging at extra cost
Prices are inc G.S.T. subject to change at any time and seeking a recent valid quotation is advised*

OCT25RP



like concrete, but classy...



Your outdoor space deserves to be different...


W.A. Made... coastal comfort



Ice



Sandstone



Greystone



Abrolhos



Charcoal



Metro


Available in



SQUARE PAVER
SIZE 400 x 400mm
THICKNESS
30mm & 60mm



LUXE PAVER
SIZE 600 x 400mm
THICKNESS
40mm
(Abrolhos & Metro
30mm & 60mm)




RECTANGLE PAVER
SIZE 400 x 200mm
THICKNESS
60mm (Abrolhos & Metro only)


NEW



MULTI SPEC TACTILE PAVER
SIZE 600 x 400mm
THICKNESS
30, 40, 50 & 60mm



HAZARD TACTILE PAVER
SIZE 400 x 400mm
THICKNESS
30, 40, 50 & 60mm




DIRECTIONAL TACTILE PAVER
SIZE 400 x 400mm
THICKNESS
30, 40, 50 & 60mm




Pave Set - Sweep in and "wet to set" join powder.
Ensuring low maintenance whilst maintaining a classy finish with genuine pavers, not site poured imitations.

Allowing easy paver removal for:


- access to water pipes & wires
- fence / patio post installations
- garden design changes
- extreme stain paver swaps
- colour matching old selections



CIRCLE STEPPERS
SIZE
600, 400 & 250mm
THICKNESS 40mm




Use also for




**270
SEAMLESS CAPPING**

SIZE 400 x 270mm

THICKNESS 30mm




Use also for



**270 4 SIDED
SEAMLESS CAPPING**


SIZE 400 x 270mm

THICKNESS 30mm




External Corner

2 Sided,
End Piece or
Stepping Stone




Use also for




**400
SEAMLESS CAPPING**

SIZE 400 x 400mm

THICKNESS 30mm




Use also for



**400 4 SIDED
SEAMLESS CAPPING**


SIZE 400 x 400mm

THICKNESS 30mm



External Corner

2 Sided,
End Piece or
Stepping Stone



**RETRO
BULLNOSE
CAPPING**



SIZE 400 x 270mm

THICKNESS 40mm



Freo Skimmer Lid Kits... a superior finish

- ☒ More attractive, central keyhole to avoid edge chipping.
- ☒ Marine grade stainless steel, to suit most Freo Stone Pavers.
- ☒ Compliant with Australian Pool Safety Standard 1926.3 2010.
- ☒ Order to be delivered with your Pool Capping Kits.



Travertine & Marble... a genuine slice of Europe



RECTANGLE PAVER

SURFACE Honed then tumbled

SIZE 610 x 305mm

THICKNESS 30mm



**FRENCH PATTERN
PAVERS**

SURFACE Honed then tumbled

SIZE Consisting of 203 x 203,
406 x 406, 406 x 203, 610 x 406mm

THICKNESS 30mm

(not available in Arctic)



CAPPING

SURFACE Honed then tumbled

SIZE 610 x 305mm

THICKNESS 30mm



**ROMA OVERHANGING LIP
CAPPING**

SURFACE Honed then tumbled
(Tumbled natural cored edges)

SIZE 610 x 305 x 80mm

THICKNESS 30mm



Roma



Quality stone cut from Europe's best quarries.



Lightly textured surfaces providing grip and comfort.



Can be easily installed onto a sand base.



Stunning variations of colour throughout each project.



ROMA



PRIMO



**ARCTIC
MARBLE**



ATLANTIS



Your outdoor space deserves to be different...



Primo



Arctic Marble



Atlantis

DesignoPave... non-slip porcelain pavers



Non-slip surface and no sealing required.

Lay straight onto sand, cracker dust, concrete or plastic pedestals.

Strength far superior to stone of even greater thickness.

Realistic durable alternatives to natural timber and granite.

CAPPING
SIZE 600 x 300mm
THICKNESS 20mm



JARRAHWASH

Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



SILVERTINO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm

NEW



DRIFTWOOD

Paving or Capping
SIZE 1200 x 200mm
THICKNESS 20mm



BORDEAUX

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



SANTORINI

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm




MONACO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm




WHITE GRANITO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



GREY GRANITO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm



BLACK GRANITO

Paving or Capping
SIZE 600 x 300mm
THICKNESS 20mm

Ocean Bluestone... a grey with attitude

PAVER

SURFACE Non-slip

SIZE 600 x 300mm

THICKNESS 25mm

CAPPING

SURFACE Non-slip

SIZE 600 x 300mm

THICKNESS 25mm



Non-slip yet gentle to touch.

Smooth edge capping.

From an overcast misty grey, to thunderous deep tones when wet. Ocean Bluestone's swirls of greys, white and golds provide a finish that is truly unique. A contemporary grey option with attitude.

Stone cladding... bringing walls to life



EVEREST

SIZE 600 x 150mm



COPPER

SIZE 600 x 150mm




HAWAIIAN SWIRL

SIZE 600 x 150mm



DESERT

SIZE 600 x 150mm



WHITE QUARTZ

SIZE 600 x 150mm



Pre-cut corners are available for all colours

The beauty of natural stone is it's variation in colour. Visit our sites to see current tones.

Photos above indicate approx 600mm x 600mm section.




Bluestone... natural steppers



Honed surface

SIZE Various approx. 500 - 700mm

THICKNESS 30mm



Commercial... high-end spec solutions


10 other colours available for commercial quantity projects.




NEW




**MULTI SPEC
TACTILE PAVER**
SIZE 600 x 400mm
THICKNESS
30, 40, 50 or 60mm



800mm



600mm



400mm

Suitable for a range of applications.

Freo Stone Paving Perth

North

South



GREENWOOD

Display and Stock Centre
29 Canham Way
Greenwood W.A.

BIBRA LAKE

Manufacturing Facility, Full Scale
Display and Stock Centre
139 Barrington Street
Bibra Lake W.A.



high tech... high quality

Freo Stone Paving utilises robotic technology to maintain a superior level of quality throughout its manufacturing operations. Combining this with only the highest grade raw materials and an experienced team, had resulted in the brand becoming the designers' popular choice Australia wide.

CUSTOMER SERVICE

08 9418 8404

info@freostone.com.au



**Free mobile design and sample units
to your Perth metro site or office**

**for more ideas visit
freostone.com.au**



WESTERN AUSTRALIAN
OWNED



SWIMMING POOL & SPA ASSOCIATION
LANDSCAPING & DESIGN
MEMBER



Our pavers comply with Australian and New Zealand Standards AS/NZS 4586:1999 and are manufactured for uniformity of shape, colour and consistency of dimensions, however you may encounter some variation. The colours in this brochure are approximate only. Products shown are correct at the time of printing. JULY 2025 Freo Stone ABN 30 143 880 422.